

Math 1200 Final Exam Solutions

Originally created by Goenner, last updated 06.03.2021

1. $39, x^2 + 12x + 11, x^2 + 4x - 21$

2. $x = -\frac{3}{2}, -1$


3. $m=2, -\frac{3}{2}$

4. $b=0, 3$


5. $x = 2 \pm \sqrt{2}$

6. $x = -1, 0.5, 1$

7. $\{2 > x \geq -1\}$



8. Slope $\frac{4}{3}$, y-int (0,-5),



9. $y+1 = -4(x-4)$ or $y = -4x + 15$

10. minimum (-5, .75)

11. x-int(3,0), (-2,0), y-int(0,-6)

12. $y = -6(x-3)^2 + 4$


13. Local max of 9.28 at $x = -1.17$ Local Min of 6 at $x = 0$.

14.a. opens up, Vertex (-1, -4), y-int (0,-3); x-int (-3,0) and (1,0),

b. $[-3, 1]$





15. a. Domain $\{x | x \text{ is the set of all real numbers}\}$, Range $(2, \infty)$, Horizontal Asymptote $y = 2$

b. Domain $(2, \infty)$, Range $\{y | y \text{ is the set of all real numbers}\}$



c. Graph

16. opens up, vertex (1, -1), axis of symmetry $x = 1$, y-int (0, 1), x-int (1.71, 0) (.29, 0)



d.

18. NO, it does not pass the vertical line test.


19. a. $h(-2)=2$, $h(0)=0$, $h(2)=4$, $h(3)=5$

b. D: $[-3, 4]$, R: $[0, 5]$

c. $x=-3, 2, 4$

20. D: $[-8, \infty)$, R: $[0, \infty)$

21. a. local max $(-1.73, 10.39)$, local min $(1.73, -10.39)$



22. local max $(-1.63, 8.71)$, local min $(1.63, -8.71)$

23. $x = 0, -7, 9$

24. $x=-4, -3, 3$

25. x-int $(-1, 0)$, y-int $(0, -1/2)$

26. x-int $(-5, 0)$ and $(4, 0)$ y-int (none)

27. x-int $(-7/3, 0)$ y-int $(0, -3.5)$, vertical asymptote $x=-2/7$, Horizontal $y=-3/7$

28. x-int $(2, 0)$ y-int $(0, 2)$, Horizontal $y=0$, vertical $x=1$ and $x=-3$

29. $x=1$

30.a. 8 unit shift to the left.


b. 8 unit shift up.

31. $x^3 - 3$

32. $\sqrt[3]{x-3}$

33. $4(x-5)^2 - 3$

34.



$$35. (x-3)^2 + (y-4)^2 = 16$$

$$36. x^2 + y^2 = 82$$

$$37. (x-3)^2 + (y-3)^2 = 9$$

$$38. y-5 = -\frac{2}{3}(x-1)$$

$$39. x=-3$$

$$40. y+3 = -1(x-1)$$

$$41. y-10 = 3(x-1)$$

$$42. y+5 = -\frac{1}{2}(x-1)$$

$$43. 2/5$$

$$44. \$50,000 \text{ in A Bonds and } \$20,000 \text{ in CDs.}$$

$$45. P=2L + 2W$$

$$46. 6 \frac{2}{3} \text{ pounds of the } \$8 \text{ per pound coffee.}$$

$$47. \text{ a. } D[-5,5]$$

$$\text{ b. x-int } (-2,0) \text{ (2,0) y-int } (0,2)$$

$$\text{ c. } 3$$

$$\text{ d. } x=-5, 3$$

$$\text{ e. } [-5,-2) \text{ and } (2, 5]$$

$$48. x \leq \frac{4}{5}, f(-1) = 3$$

$$49. D: \{x | x \text{ is all real numbers except } -1\}$$

$$50. D: \{x | x \text{ is all real numbers except } 5 \text{ and } -6\}$$

$$51. D: \{x | x \leq -10 \text{ or } x \geq 10\}$$

$$52. [0,6]$$

$$53. \text{ a. } f(g(x)) = \frac{2x+7}{2x+3}, D: \{x | x \text{ is any real number except } -3/2\}$$

$$\text{ b. } g(f(-2)) = 5$$

$$\text{ c. } f(g(-2)) = -3$$

$$54. \text{ a. } \sqrt{11}$$

$$\text{ b. } 1$$

$$\text{ c. } \sqrt{\sqrt{6}+2}$$

$$\text{ d. } 19$$

$$55. (f+g)(x) = 3x^2 + 4x + 1 \text{ D: } (-\infty, \infty), \text{ R: } \left[\frac{-1}{3}, \infty \right),$$

$$(f-g)(x) = 3x^2 - 2x + 1 \text{ D: } (-\infty, \infty) \text{ R: } \left[\frac{2}{3}, \infty \right),$$

$$(f \cdot g)(x) = 9x^3 + 3x^2 + 3x \text{ D: } (-\infty, \infty) \text{ R: } (-\infty, \infty),$$

$$\left(\frac{f}{g}\right)(x) = \frac{3x^2 + x + 1}{3x} \quad D: \{x | x \text{ is any real number except } 0\} \quad R: (-\infty, \infty).$$

$$56. (f + g)(x) = \frac{4x - 9}{x(x - 3)} \quad D: (-\infty, 0) \cup (0, 3) \cup (3, \infty) \quad R: (-\infty, \infty)$$

$$(f - g)(x) = \frac{-2x + 9}{x(x - 3)} \quad D: \{x | x \text{ is any real number except } 0 \text{ and } 3\} \quad R: (-\infty, -2.49] \cup [-.19, \infty)$$

$$(f \cdot g)(x) = \frac{3}{x(x - 3)} \quad D: \{x | x \text{ is any real number except } 0 \text{ and } 3\} \quad R: (-\infty, -1.35] \cup (0, \infty)$$

$$\left(\frac{f}{g}\right)(x) = \frac{x}{3(x - 3)} \quad D: \{x | x \text{ is any real number except } 0 \text{ and } 3\} \quad R: (-\infty, 1) \cup (1, \infty)$$

$$57. \text{Domain of } f: \{x | x \text{ is any real number except } 5/3\} \quad \text{Range of } f: \{y | y \text{ is any real number except } 0\} \quad f^{-1}(x) = \frac{2 + 5x}{3x}$$

Domain of inverse: $\{x | x \text{ is any real number except } 0\}$ Range of inverse: $\{y | y \text{ is any real number except } 5/3\}$

$$58. f^{-1}(x) = \frac{2 + 5x}{3x}$$

$$59. f^{-1}(x) = \frac{5x + 5}{1 - x}$$

$$60. f^{-1}(x) = \sqrt[3]{1 - x}$$

61. Yes, each x has exactly one y and each y has exactly one x .

62. a. 3 and -1

b. $(-\infty, -1) \cup (3, \infty)$

63. 4/5

64. 2, -1/3

65. -7

$$66. 125^{\frac{1}{3}} = 5$$

67. 5

68. 1

69. -3/2

$$70. \log(0.0001) = -4$$

71. a. 3

b. 2

c. 1

72. 4

73. 625

74. a. π

b. 40

c. 90

75. a. 16

b. -1

$$76. -\ln(2)$$

77. $\frac{1 \pm \sqrt{13}}{2}$

78. $\frac{-3\ln(7)}{\ln(7)-1} \approx -6.17$

79. $2\sqrt{6}$

80. a. 6 grams

b. 4.677 grams

c. 5 days

81. a. \$5402.28

b. \$6711.69

c. 10 years

82. \$8374.84

83. a. 49

b. 64

84. a. $(1, \infty)$

b. $f^{-1}(x) = 6^{4x}$

85. 3

86. $8\log_a(x) - \log_a(y) - 9\log_a(z)$

87. $\frac{1}{6}\log_7(x-5) - \frac{1}{6}\log_7(x+5)$

88. $x - \log x - \log(x^4 + 2) - \log(x^6 + 6)$

89. $\log_3\left(\frac{A^5 B^3}{C^5}\right)$

90. $\log \frac{\sqrt[4]{x^2+1}(x-1)}{x^5}$

91. 1.130930

92. $\frac{\log 8}{\log 7}$

93. -6.4895

94. $\ln(4)$

95. 9, -9

96. 109

97. 20

98. 6

99. 9

100. a. 384 million

b. 299 million

101. a. 46.2 grams

b. 35.7 days

c. 25.2 days

102. a. 206 degrees

b. 150.13 degrees

c. 27.45 minutes

103. $x=2, y=1$ or $(2, 1)$

104. No Sol'n


105. Infinite Sol'ns $\left(x, \frac{1}{5}x + 4\right)$

106. $(-10, 8, -2)$


107. Infinite Solutions $(26-3z, -11+2z, z)$ z is any real number.

108. No sol'n

109.



110. Corner Points: $(15, 20), (15, 16), (0, 25), (0, 35)$. They should have 15 rectangular tables and 16 round for lowest cost.



111. 8,9,10,11 and 107

112. 5, 4, 0, -16, -80

113. $a_n = 2 \cdot 2^{n-1}$

114. $a_n = 2 + 6(n-1)$

115. 55

116. 8

117. 380

118. $\sum_{k=5}^{14} k^2$

119. $a_n = 6 + 2(n-1), 24$

120. $d = 4, a_n = 3 + 4(n-1), a_{100} = 399$

121. 105

122. 1410

123. $\frac{2}{3}$

124. $x^6 - 12x^5 + 60x^4 - 160x^3 + 240x^2 - 192x + 64$

125. $32x^5 + 240x^4 + 720x^3 + 1080x^2 + 810x + 243$

126. 24

127. 120

128. 40

129. 0.0000000083

130. $T = \sqrt[3]{x} \cdot d^2$